


PROFILSYSTEM S.R.L.

PROFILATI AD "U" SPECIALI


Dimensioni mm A X B X A	Spessore mm	PESO gr.mt
15 x 8 x 15	1	272
"	1,5	396
13 x 8 x 25	1	344
25 x 8 x 25	1	432
10 x 9 x 10	1,2	240
11 x 9 x 11	1,5	312
10 x 10 x 10	1	208
20 x 10 x 20	1	368
20 x 10 x 20	1,5	540
25 x 10 x 25	1,5	660
29 x 10 x 29	2	960
30 x 11 x 30	1,5	792
10 x 12 x 10	1	232
11 x 12 x 11	1,2	288
20 x 12 x 20	2	720
25 x 12 x 25	1,5	684
15 x 15 x 15	1	336
15 x 15 x 15	1,5	480
16 x 16 x 16	1,5	516
16 x 16,6 x 13	0,7	243
12 x 17 x 22	1,2	441
12 x 17 x 7	1,2	298
22 x 18 x 22	1,5	684
10 x 19 x 10	0,8	326
21 x 19 x 21	1	456
27 x 19 x 27	2	1040
7 x 20 x 13	1	292
21 x 20 x 13	0,8	326
13 x 20 x 20	1	392
20 x 20 x 20	1,2	518
20 x 20 x 20	1,5	660
23 x 20 x 23	1,5	732
23 x 20 x 23	1,8	857
23 x 20 x 23	2	1424
23 x 20 x 23	2,7	1307



PROFILSYSTEM S.R.L.

PROFILATI AD "U" SPECIALI


Dimensioni mm A X B X A	Spessore mm	PESO gr.mt.
10 x 20,5 x 25	0,5	216
12 x 20,5 x 25	0,5	224
6 x 20,5 x 25	0,5	192
10 x 20,5 x 25	0,5	216
28 x 20,5 x 28	1,5	858
"	2	1128
12 x 22 x 27	0,7	327
11 x 22 x 11	1	320
12 x 22 x 12	1,5	492
23 x 22 x 23	2,7	1210
24 x 22 x 24	2,7	1253
28 x 22 x 28	2	1128
30 x 22 x 30	0,7	440
"	0,8	499
23 x 23 x 23	1,2	614
"	1,5	768
13'5 x 24 x 13'5	1,5	552
6 x 24 x 6	2	472
7 x 24 x 7	2	504
42 x 24 x 42	2	1600
30 x 25 x 12	0,7	361
11'3 x 25 x 11'3	2	648
12 x 25 x 12	1,5	528
25 x 25 x 25	1,5	840
"	2	1072
26 x 25 x 26	0,4	237
8 x 25,8 x 15	0,9	327
45 x 26 x 45	1,5	1320
8 x 26 x 14	0,8	291
25 x 27 x 25	1,5	864
25 x 28 x 25	2	1120
40 x 28 x 40	1,5	1236
6 x 30 x 14	0,8	304
8 x 30 x 15	1,2	461
14 x 30 x 14	2,5	990
"	3	1140



PROFILSYSTEM S.R.L.

PROFILATI AD "U" SPECIALI


Dimensioni mm A X B X A	Spessore mm	PESO gr.mt.
14 x 30 x 9	1,2	465
20 x 30 x 20	1,5	780
30 x 30 x 30	1,5	1020
30 x 30 x 30	2	1312
30 x 30 x 30	2,5	1600
30 x 30 x 30	3	1872
26,1 x 31,5 x 26,1	1,5	936
30 x 32 x 30	1,5	1044
15 x 33 x 40	1,5	996
6 x 34 x 10	1	368
17 x 35 x 17	1,2	617
"	1,5	768
8 x 35 x 8	2	688
20 x 35 x 20	2	1072
27 x 35 x 18	2,5	1400
35 x 35 x 35	2	1552
35 x 35 x 35	2,5	1900
15 x 36,5 x 15	1,8	864
40 x 37 x 40	3	2520
10 x 37,5 x 10	1	432
15 x 38 x 15	1,2	614
17 x 38 x 17	1,2	624
30 x 38 x 30	1,5	1116
10 x 40 x 20	1	532
20 x 40 x 20	2	1152
25 x 40 x 25	2	1312
30 x 40 x 30	1,5	1140
40 x 40 x 40	1,5	1380
"	2	1792
"	2,5	2200
"	3	2592
70,5 x 42 x 20	1	1032
25 x 44 x 25	1,5	1068
35 x 44 x 35	2	1696
13 x 45 x 13	3	1452
25 x 45 x 25	2	1392



PROFILSYSTEM S.R.L.

PROFILATI AD "U" SPECIALI


Dimensioni mm A X B X A	Spessore mm	Peso gr.mt.
35 x 45 x 35	2,5	2100
50 x 45 x 50	3	3192
20 X 45,5 X 20	1,2	778
11 x 46,5 x 11	1	520
20 x 47 x 20	1,5	984
"	1,8	1159
35 x 48 x 30	1,5	1410
39'5 x 48 x 39'5	2,5	2360
20 x 49 x 20	1,8	1181
17 x 50 x 17	1,2	763
20 x 50 x 20	2	1181
25 x 50 x 25	2	1472
30 x 50 x 30	1,5	1260
"	2	1632
38 x 50 x 38	1,5	1452
"	2,5	2320
40 x 50 x 40	3	2832
50 x 50 x 50	2	2272
80 x 50 x 80	1,8	2909
30 x 60 x 30	1,5	1380
"	2	1792
50 x 60 x 50	2,5	3000
"	3	3552
40 x 69 x 40	1,5	1728
34 x 70 x 35	0,8	870
20 x 70 x 20	0,6	516
35 x 70 x 35	0,8	870
35 x 73 x 35	2	2160
"	2,5	2660
20 x 75 x 10	1,2	969
40 x 80 x 40	2,5	3000
8 x 82 x 8	0,7	538
20 x 85 x 10	1,2	1066
30 x 90 x 30	2	2272
40 x 90 x 40	2	2592
"	2,5	3200



PROFILSYSTEM S.R.L.

"C" SIMMETRICI SPECIALI


TAV. N°	Dimensioni mm C x A x B	Spessore mm	Peso gr.mt.
333	5 x 22 x 15	1,5	732
241	7 x 15 x 15	1,5	600
382	5 x 30 x 15	1,5	924
483	4 x 6 x 16	1,2	269
283	4'5 x 12 x 18	1,5	510
265	5 x 10 x 20	1,5	480
464	5,25 x 10 x 20	1	352
644	4,7 x 10,4 x 20	1,2	374
493	5 x 14 x 20	1,5	
147	5 x 15 x 20	1,5	606
24	6 x 20 x 20	1,5	744
	7,5 x 20 x 20	1,5	780
455	8 x 20 x 20	2	992
94	4 x 12 x 25	0,8	320
"	5 x 12 x 25	0,6	259
397	5 x 15 x 25	1,5	660
8	7'5 x 15 x 25	1,5	720
"	9 x 15 x 25	2	960
4	7 x 25 x 25	1,5	948
5	7'5 x 25 x 25	1,5	960
288	7'5 x 20 x 27	2,5	1300
355	7'5 x 15 x 28	2	944
	11 x 19 x 29	1,5	960
569	5 x 8 x 30	1,5	564
143	6 x 17 x 30	1,5	804
643	6,5 x 15 x 30	1,5	756
9	7'5 x 15 x 30	1,5	780
234	10 x 15 x 30	1,5	840
316	8 x 15 x 30	1	544
335	8 x 15 x 30	1,5	798
331	8 x 15 x 30	2	1488
14	6 x 20 x 30	1,5	864
87	7'5 x 20 x 30	1,5	900
628	8 x 20 x 30	1,5	912
227	9 x 20 x 30	1,5	936
101	10 x 20 x 30	1,5	960



PROFILSYSTEM S.R.L.

"C" SIMMETRICI SPECIALI


TAV. N°	Dimensioni mm C x A x B	Spessore mm	Peso gr.mt.
377	9'5 x 25 x 30	1,8	1267
	10 x 29.5 x 30	0,6	499
22	5 x 30 x 30	1,5	1080
	10 x 30 x 30	1,5	1200
481	7'5 x 30 x 30	2	1456
45	7 x 17 x 31	2	1056
	7'5 x 15 x 31'5	1,5	798
224	12 x 8 x 32	1	512
334	9 x 20 x 32	2,5	1460
185	10 x 32 x 32 b.t.	2	1560
158	7 x 33 x 33	2	1584
36	12 x 33 x 34	1,2	1104
144	10 x 13 x 35	1,8	1022
17	5 x 15 x 35	1,5	792
444	8 x 16 x 35	1,5	876
474	13 x 20 x 35	1,5	1092
244	15 x 20 x 35	2	1456
456	9 x 24.8 x 35	1,5	1116
	7'5 x 25 x 35	1,5	1080
391	12'5 x 25 x 35	1,5	1200
18	7 x 35 x 35	2	1696
19	10 x 35 x 35	1	944
27	10 x 35 x 35	2,5	2160
598	11,5 x 50 x 35	2	2304
633	13 x 30 x 35	1,5	1332
421	10,25 x 35 x 35,5	1,5	1395
452	9 x 20 x 36	2,5	1600
343	12'5 x 40 x 38	2	2064
434	7 x 20 x 40	1,5	1008
160	8 x 20 x 40	1,5	1032
	8'5 x 20 x 40	2	1328
626	8 x 25 x 40	1,5	1152
395	10 x 20 x 40	1,5	1080
	10 x 20 x 40	2	1408
	10 x 20 x 40	2,5	1660
26	12 x 20 x 40	2,5	1740



PROFILSYSTEM S.R.L.

"C" SIMMETRICI SPECIALI


TAV. N°	Dimensioni mm C x A x B	Spessore mm	Peso gr.mt.
38	15 x 20 x 40	1,5	1200
25	12'5 x 25 x 40	2,2	1743
320	14 x 25 x 40	2	1664
148	6 x 30 x 40	1,5	1236
6	10 x 30 x 40	0,8	723
	15 x 30 x 40	1,5	996
130	15'5 x 30 x 40	2	1872
460	8 x 40 x 40	0,8	820
46	10 x 40 x 40	2	2016
253	12'5 x 40 x 40	2,5	2560
145	13'5 x 40 x 40	2,5	2600
345	13'5 x 60 x 40	2,5	3400
381	7 x 21 x 44	1,5	1080
412	14 x 40 x 44	2	2208
412	14 x 40 x 44	2,2	2376
	15 x 40 x 44	2,2	2438
7	17 x 40 x 45	2	2320
238	16 x 22 x 48	1,5	1368
461	9'5 x 25 x 50	1,8	1526
209	10 x 25 x 50	2,5	2060
214	17'5 x 25 x 50	2,5	2360
13	10 x 30 x 50	2	1856
270	20 x 30 x 50	2	2176
257	20 x 30 x 50	2,5	2660
15	10 x 40 x 50	2	2176
31	12 x 40 x 50	1,5	1728
104	12 x 40 x 50	2	2240
99	15 x 50 x 50	2	2656
277	10 x 30 x 52	2	1888
406	12 x 53.5 x 53	2	2736
366	12'5 x 37 x 55	1,8	2016
362	22'5 x 50 x 55	2	2952
251	10 x 14 x 60	2,5	1890
149	10 x 23 x 60	2	1808
195	20 x 30 x 60	1,2	1450
425	10 x 40 x 60	2,5	2860



PROFILSYSTEM S.R.L.

"C" SIMMETRICI SPECIALI


TAV. N°	Dimensioni mm C x A x B	Spessore mm	Peso gr.mt.
327	15 x 40 x 60	2	2496
	16'5 x 50 x 60	1,8	2577
48	20 x 60 x 60	2	3296
	10 x 22.5 x 60.2	2	226
491	18'5 x 23 x 62	2,8	2844
492	20 x 30 x 70	2,8	3405
273	15 x 30 x 70	1,5	1800
272	20 x 45 x 70	2	2976
236	20 x 55 x 70	2	3296
372	22'5 x 70 x 70	2,5	3120
472	11'5 x 34'5 x 71'7	1,25	1560
527	7 x 40 x 72	0,6	773
"	11'5 x 35 x 72	1,5	1872
436	12 x 36 x 73	2	2496
39	15 x 50 x 75	2,5	2800
166	17 x 50 x 75	2	2976
471	5 x 38 x 75.5	1,5	1830
457	8 x 40.5 x 77	2	2576
52	14'5 x 40 x 80	2	3533
	15 x 40 x 80	2	2816
51	20 x 40 x 80	2	3717
400	15 x 45 x 80	1,5	2280
"	15 x 45 x 80	2	3717
"	15 x 45 x 80	2,5	3660
54	14'5 x 50 x 80	2,3	3280
55	19'5 x 50 x 80	2,3	3616
61	19'5 x 50 x 80	2	3280
390	20 x 50 x 80	2	3296
53	20 x 60 x 80	2	3616
58	20 x 60 x 80	2,5	4460
420	19'5 x 50 x 90	2,9	4950
354	24'5 x 50 x 90	2	3600
112	12 x 25 x 100	1	1320
112	12 x 25 x 100	1,2	1584
112	12 x 25 x 100	1,5	1956
414	20 x 25 x 100	0,7	1030



PROFILSYSTEM S.R.L.

"C" SIMMETRICI SPECIALI

TAV. N°	Dimensioni mm C x A x B	Spessore mm	Peso gr.mt.	
414	20 x 25 x 100	1	1456	
414	20 x 25 x 100	1,5	2160	
133	25 x 45 x 100	2	3616	
132	25 x 50 x 100	2	3776	
568	35 x 50 x 100	2,5	5060	
150	15 x 29 x 110	0,9	1382	
150	15 x 29 x 110	1	1524	
150	15 x 29 x 110	1,2	1829	
150	15 x 29 x 110	1,5	2286	
207	15 x 29 x 111,5	0,9	1382	
207	15 x 29 x 111,5	1	1524	
207	15 x 29 x 111,5	1,2	1829	
207	15 x 29 x 111,5	1,5	2286	
627	28 x 49 x 119	3	6072	
37	12 x 30 x 120	2	3032	
587	24 x 31 x 120	1,5	2640	
417	25 x 70 x 130	2,5	6060	
118	12 x 25 x 150	1	1720	
118	12 x 25 x 150	1,2	2064	
118	12 x 25 x 150	1,5	2580	
415	20 x 25 x 160	0,7	1366	
415	20 x 25 x 160	1	1936	
415	20 x 25 x 160	1,5	2880	
321	15 x 25 x 180	1	1984	
321	15 x 25 x 180	1,2	2381	
321	15 x 25 x 180	1,5	2976	
385	10 x 20 x 240	1,5	3480	
588	16 x 31 x 240	1,5	3888	



PROFILSYSTEM S.R.L.

"OMEGA" SPECIALI

TAV. N°	Dimensioni mm C X A X B	Spessore mm	Peso gr.mt.	
518	16 x 18 x 15	1,5	876	
184	17 x 55 x 18	2	2368	
	25 x 55 x 20	1	1360	
376	15 x 55 x 20	2	2336	
175	22'5 x 28 x 26	2,5	2140	
175	27'5 x 28 x 28	2,5	2360	
237	23 x 40 x 29	2	2064	
121	10 x 15 x 30	0,8	471	
174	15 x 20 x 30	1,5	1056	
328	15 x 30 x 30	1,5	1320	
155	11 x 35 x 30	0,8	742	
	23 x 29 x 40	2	2064	
575	6 x 35 x 40	1	928	
582	19,2 x 40 x 40	0,8	973	
573	14 x 10 x 50	1	736	
250	20 x 37 x 54	1	1296	
200	26 x 30 x 70	1	1392	
198	26 x 15 x 70	1	1152	
135	15 x 25 x 70	2	2176	
431	37.5 x 46 x 80	2,5	4520	
427	10 x 20 x 100	0,8	985	
180	20 x 20 x 100	1,5	2016	
178	8'5 x 20 x 216	1,5	3120	
"	11'5 x 20 x 216	1,5	3192	